

# TreadSafe

Safety Platform



**CYCLISTS BEWARE BLIND SPOT**



**CYCLISTS BEWARE BLIND SPOT**



**DO NOT ENTER FROM THIS SIDE**




**DO NOT ENTER FROM THIS SIDE**





**Tested, Approved and used by many  
of the UK's and Europe's leading fleets**

## Tapered Edge for improved airflow



**TreadSafe has been designed and tested to allow optimum airflow.**

By engineering a tapered profile, it is possible to decrease the amount of aerodynamic drag along the sides of the vehicle.

## Safety warnings pre-applied



**Additional Safety Decals are applied to each side of the catwalk.**

TreadSafe offers a great platform to apply safety warnings to both the end user and also other road users.



## Super safe reverse punch tread



**TreadSafe's reverse punch creates a seriously safe, anti-slip working area.**

The punch has been engineered with the optimum top roll radius removing any sharp edges but increasing grip.

## Easy Access for Service



**TreadSafe's design enables easy access to any chassis mounted parts on service**

Simply remove the treadplate from the sub frame for easy access to battery boxes and other serviceable parts.

# Contents



<b>DAF.....</b>	<b>1-3</b>
<b>Iveco.....</b>	<b>4</b>
<b>MAN.....</b>	<b>5-9</b>
<b>Mercedes.....</b>	<b>10-11</b>
<b>Renault.....</b>	<b>12-14</b>
<b>Scania.....</b>	<b>15</b>



**DO NOT ENTER FROM THIS SIDE**





# 1. Suitable For DAF XF (Euro 6)



TreadSafe



**CYCLISTS BEWARE BLIND SPOT**



## Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.

Part Number: SAFECATDAF  
QuickFind Code: 13516



**DO NOT ENTER FROM THIS SIDE**



TreadSafe



## 2. Suitable For DAF CF (Euro 6)



Part Number: SAFECATDAFCF  
QuickFind Code: 16056



### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.





### 3. Suitable For DAF XF/XG/XG+



In-Fill  
Panels  
Available

6x2



**CYCLISTS BEWARE BLIND SPOT**



#### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.

Part Number: SAFECATDAFXG  
QuickFind Code: 16984



**DO NOT ENTER FROM THIS SIDE**





## 4. Suitable For Iveco S-Way



Part Number: SAFECATIVSWAY  
QuickFind Code: 16483



### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.





## 5. Suitable For MAN TGX/ TGS (Euro 6)



TreadSafe



**CYCLISTS BEWARE BLIND SPOT**



### Key Specifications

Part Number: SAFECATMAN  
QuickFind Code: 13521

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.



**DO NOT ENTER FROM THIS SIDE**



TreadSafe



## 6. Suitable MAN TGS (Euro 6) 3.6m Wheelbase



Part Number: SAFECATMAN4X236

QuickFind Code: 15088

### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.





## 7. Suitable MAN TGS (Euro 6) 3.9m Wheelbase



### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.

Part Number: SAFECATMAN4X2  
QuickFind Code: 14134





## 8. Suitable For MAN TG3 TGS/ TGX 3.9 Wheelbase



Part Number: SAFECATMANTG3S4X2  
QuickFind Code: 16829

### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.





## 9. Suitable For MAN TG3 TGX



In-Fill  
Panels  
Available

6x2



**CYCLISTS BEWARE BLIND SPOT**



### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.

Part Number: SAFECATMANGX  
QuickFind Code: 16854



**DO NOT ENTER FROM THIS SIDE**





## 10. Suitable For Mercedes Actros 4 & 5



Part Number: SAFECATMB4X2  
QuickFind Code: 16996



### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.





## 11. Suitable For Mercedes Actros 4 & 5



TreadSafe



**CYCLISTS BEWARE BLIND SPOT**



### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.

Part Number: SAFECATMB  
QuickFind Code: 13529



**DO NOT ENTER FROM THIS SIDE**



TreadSafe



## 12. Suitable For Renault T Range



Part Number: SAFECATREN  
QuickFind Code: 13585

### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.





## 13. Suitable For Renault T Range



4x2



**CYCLISTS BEWARE BLIND SPOT**



### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the Uk's and Europes leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.

Part Number: SAFECATREN4X2  
QuickFind Code: 13899



**DO NOT ENTER FROM THIS SIDE**





## 14. Suitable For Renault D Range (Urban Tractor)



Part Number: SAFECATREND  
QuickFind Code: 14244

### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.





## 15. Suitable For Scania Next Gen P, G, R, S



### Key Specifications

By creating a new sub-frame which raises the catwalk to a level platform we are able to create a large, safe, anti-slip working area behind the cab.

The platform is mounted in a way which is easy to remove for vehicle maintenance.

Additional catwalk sizes are available on request.

Additional safety decals are applied to provide blind spot warnings and safety notices to other road users and the driver/ operator.

Tested, approved and used by many of the UK's and Europe's leading fleets.

Galvanised sub-frame.  
Aluminium catwalk sections.

Part Number: SAFECATSCAN  
QuickFind Code: 14170



**DO NOT ENTER FROM THIS SIDE**







## We can engineer to your requirements

Treadsafe understands that for certain, specialised contracts and operations, sometimes a slightly different size or shape of platform may be required. Perhaps it needs to avoid some specific chassis mounted equipment, or have an additional filler cap cut out for a long range fuel tank. Or, perhaps we just don't offer the chassis you have.

Either way, our UK based engineers are able to design to your specification, produce test patterns and fitments prior to any production run.

Talk to your local TreadSafe distributor for further information on how we can meet your specification.

## Chassis In-fills, when a full catwalk is not required

Sometimes there is simply no need to install a full width chassis catwalk. In some cases a small additional in-fill panel will suffice coupled with the factory fitted catwalk pieces.

Our chassis in-fill panels are manufactured from the same high quality aluminium, have the same super safe reverse punch tread and are, more of all, simple to install.

Product shown to the right is a chassis in-fill for the Mercedes Actros 4 6x2 chassis.

Also available from stock are:

**MAN TG3 TGX & TGS - 6x2**

**MAN TG3 TGX & TGS - 4x2**

**MAN TGX Euro 6 - 6x2**


**Iveco S-Way - 6x2**

**Mercedes Actros 4/5 - 6x2**

**Mercedes Actros 4/5 - 4x2**

**DAF XF/XG - 6x2**

Our bespoke engineering service can also produce chassis in-fills for vehicles not shown above and to your own specification.



## Custom Branded Safety Decals for larger production runs

While we really love our TreadSafe Logo, we can offer custom branded safety decals for your vehicles, from simply adding your company logo to completely customised safety messages.

MOQ's apply, please speak with your TreadSafe distributor for further information.

**YourLogo**





Distributed by;



[www.kudauk.ltd.uk](http://www.kudauk.ltd.uk) kudauktd official app 01449 744174